Solid wood entry doors

TECHNICAL CATALOGUE
Since 2011 / Foshan, Guangdong, China



Product selection, illustrated configurations and quotation preparation.

Select the entrance package

YULUX Windows supplies solid wood entry doors around the confirmed entrance elevation.


Choose a single leaf, paired leaves or an arched head. Draw sidelights and transoms as part of the same opening.

State the timber, finish, handing, rough opening and net frame size. The following pages are entry-door references selected from the entrance section.


Orders start from 1 door. Payment: 50% deposit and 50% before shipment.



Horizontal-panel entry designs



One sash entry door
made of chestnut stained oak





ONE SASH ENTRY DOOR MADE O
OAK WITH HORIZONTAL STAVE

Detail of two sash entry door with
horizontal staves,
made of chestnut stained oak

Select timber, finish, glass and handing against the entrance elevation.

Oak entry-door examples








Entry door made of honey stained oak, horizontal staves,
detail of external view with staved fixed top-transom

Select timber, finish, glass and handing against the entrance elevation.

Mahogany entry-door examples



Detail of entry door of chestnut stained mahogany



Two asymmetric sashes entry door, of chestnut stained mahogany

Select timber, finish, glass and handing against the entrance elevation.

Arched entrance layouts



Genuine Mahogany Craftsman Door



Select timber, finish, glass and handing against the entrance elevation.

Single entry-door designs



Arched Top Doors



Select timber, finish, glass and handing against the entrance elevation.


Glazed oak entrance layouts

Entry door of white brushed oak, one sash

Internal View



External View





Select timber, finish, glass and handing against the entrance elevation.

Decorative glazed entries





Select timber, finish, glass and handing against the entrance elevation.


Entry design references





Select timber, finish, glass and handing against the entrance elevation.


Sidelights and transoms






Select timber, finish, glass and handing against the entrance elevation.

Glazed entry combinations



Create an unforgettable front door entry with a Mahogany door coupled with two sidelights and a 5-lite transom.



Select timber, finish, glass and handing against the entrance elevation.


Glazed French-entry dimensions



Exude natural light with double french entry doors with Clear glass.

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0"(left pic) 0'10" to 1'6" (right pic) widths
- 1-3/8" and 1-3/4" thicknesses
- Square and Arch Tops
- Single Glazed and Insulated Low E Glass



Ponderosa Pine door with two
to elongate your entryway.

Illustrated glazed-entry range only: heights 6 ft 8 in / 7 ft / 8 ft; leaves 2-3 ft; sidelights 10-18 in; thickness 1 3/8 or 1 3/4 in.

Entrance elevations





Select timber, finish, glass and handing against the entrance elevation.


Glazed entry styles






Select timber, finish, glass and handing against the entrance elevation.

Timber and glass layouts









Select timber, finish, glass and handing against the entrance elevation.

Double entry designs






Select timber, finish, glass and handing against the entrance elevation.

Arched double-door designs








Select timber, finish, glass and handing against the entrance elevation.

Rustic glass and panel options



Rustic Glass



Rain



Patina



Wrought Iron



Operable Speakeasy Door with Wrought Iron Grill




Clavos




Select timber, finish, glass and handing against the entrance elevation.

Panel and arch details









Select timber, finish, glass and handing against the entrance elevation.

Entrance timber faces





Select timber, finish, glass and handing against the entrance elevation.

Painted entry designs






Select timber, finish, glass and handing against the entrance elevation.

Arched glazing and sidelights







Half Round Wrought Iron, Glue Chip Glass




Elliptical Wrought Iron, Glue Chip Glass



Rectangular Wrought Iron, Glue Chip Glass



Rectangular Rain Glass, Glass



Select timber, finish, glass and handing against the entrance elevation.

Transom and glazing patterns



SH-554: Stain Red Oak, Glass C



Half Round, Hand Beveled, Full Glue Chip, Glass



Elliptical, Hand Beveled, Full Glue Chip, Glass



Rectangular, Hand Beveled, Full Glue Chip, Glass



Rectangular, Hand Beveled, Full Glue Chip, Glass



Rectangular, Hand Beveled, Full Glue Chip, Glass



Glass Caming Color Options



Black Patina



Brass



Zinc



Half Round, Hand Beveled, Full Glue Chip, Glass



Elliptical, Hand Beveled, Full Glue Chip, Glass



Rectangular, Hand Beveled, Full Glue Chip, Glass



Rectangular, Hand Beveled, Full Glue Chip, Glass



Rectangular, Hand Beveled, Full Glue Chip, Glass

Select timber, finish, glass and handing against the entrance elevation.

Discuss your project

Since 2011
Foshan, Guangdong, China

YULUX Windows
yuluxwindows.com
WhatsApp: +86 158 8014 9725
sales@yuluxwindows.com

Send opening dimensions, quantities, selected designs and delivery destination.

Orders start from 1 unit. Payment: 50% deposit and 50% before shipment. Production scheduling follows the order quantity and confirmed configuration.